RamWare Electronics & Computers cc

I.T. Solutions Since 1992

Call: 0860-726-726 sales@ramware.co.za http://www.ramware.co.za (E&O.E)

LIFEBOOK AH532 15.6"

LCD 15,6" Anti-Glare 16:9 WXGA (1366 x 768) LED Backlight, Intel® HM65 chipset with integrated Mobile Intel® HD Graphics, DDR3-1600 (2 DIMM slots), Built-In Webcam HD, Gigabit (10/100/1000 Mbit)-LAN, integrated WLAN b/g/n, Bluetooth V4.0 + EDR, 4 in 1 card reader SD/MS/MSPro/MMC, integrated digital microphone, Touchpad, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 6cell battery, Interfaces: VGA , HDMI, 3x USB 3.0, Express card 34, RJ45 for LAN, audio in and audio out, VGA, 1xUSB2.0
Standard warranty:
1 year, Collect & Return Service, 5 days / 9 hours (5x9, local business hours), global / Fujitsu or auth. Servicepartner

Factory orders can be customised to client's requirements.

VFY:AH532MF041ZA	**Fujitsu LIFEBOOK AH532 NG i3** Intel Core i3-2348M 2.3GHz 3MB, 4GB DDR3 RAM, DVD-SuperMulti, 500GB HDD, 15.6" HD Display with integrated Mobile Intel Graphics, 10/100/1000 NIC, No 3G, Wireless b/g/n, Bluetooth. Keyboard with 10 key numeric pad. Windows 8 Professional 64 + Office starter. 1-Year Collect & Return Warranty	**In stock**
VFY:AH532MF031ZA	**Fujitsu LIFEBOOK AH532 NG i5** Intel Core i5-3210M 2.3GHz 3MB, 4GB DDR3 RAM, DVD-SuperMulti, 500GB HDD, 15.6" HD Display with integrated Mobile Intel Graphics, 10/100/1000 NIC, No 3G, Wireless b/g/n, Bluetooth. Keyboard with 10 key numeric pad. Windows 8 Professional 64 + Office starter. 1-Year Collect & Return Warranty	**In stock**

LIFEBOOK N532 FHD AG 17.3"

Base unit 17.3" (43.9cm, 16:9) FHD LED Display based Intel HM77, supports maximum 16 GB Dual channel DDR3 1600 MHz memory (2 DIMM slots), NVIDIA GeForce GT 620M with 1GB dedicated DDR3 VRAM, Bluetooth V4.0, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated WLAN, integrated HD WebCam, Digital speakers, DTS boost, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof isolation keyboard, Kensington Lock connector, 4-in-1 card reader, including Li-Ion 6-cell battery 5.200 mAh, AC adapter 19V/120W, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)
Interfaces: 1x VGA, 1x HDMI 1.4a, 1xUSB 2.0, 3x USB 3.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out, ExpressCard Slot 34/54mm, 1xDC-in, 1x kensington lock"

Factory orders can be customised to client's requirements.

LKN:N5320M0002ZA	**Fujitsu LIFEBOOK N532 FHD AG** Intel® Core™ I7 3630QM up to 3.4GHz 6MB, 8GB DDR3 RAM (1x 8GB), Blu-ray Triple Writer + BD playback SW, 2x 750GB HDD, 17.3" Full FHD LED Display, NVIDIA® GeForce® GT 620M 1GB Graphics, 10/100/1000 NIC, Wireless b/g/n, Bluetooth 4.0, 3G, Number-pad integrated on spill-proofed keyboard, 4-in-1 Card Reader, Windows 8 Professional 64, Office Starter Edition. **3-Year On Site Warranty**	**In stock**

LIFEBOOK P772 Executive 12.1"

Base unit glossy black, Intel QM77 chipset, prepared for vPro technology and iAMT 8.0, supports Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots), Modular bay concept for optical drive, 2nd battery, 2nd HDD (S-ATA II) or bay projector, Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, integrated Touchpad with Gesture support, ScrollWheel, G-Sensor, LED status display, application buttons, Kensington Lock, cleaning-cloth, sleeve case
Interfaces:1x Express Card, 1x SD Card reader, 1x VGA, 1x DP, 2x USB 3.0 thereof 1 (all with anytime charging functionality), 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1xaudio out, docking connector
Fujitsu Recovery (Hard Disk Based Recovery)
Please do not forget to configure the AC Adapter (65W for system; 80W for portrep), AC Cable & 1st Battery extra

Factory orders can be customised to client's requirements.

LBP772	**Fujitsu LIFEBOOK P772 Glossy Black** Intel® Core™ i7-3687U (3.3 GHz), 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVD Supermulti, 3G enabled, 10/100/1000 NIC, Wireless b/g/n, Bluetooth 3.0, Fingerprint Sensor, TPM, Windows 7 Professional 64 (32-bit on disc), Office Starter Edition; Carry Case. 2-Year Carry-in Warranty	**Factory**

LIFEBOOK S752 14.0"

Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector.
Fujitsu Recovery (Hard Disk Based Recovery). Please do not forget to configure the AC adapter, AC cable & 1st battery extra. We recommend to use 65W AC adapter for the system. For the usage with Port replicator 80W AC Adapter is required

Factory orders can be customised to client's requirements.

LBS752-ENTRY	**Fujitsu LIFEBOOK S752** Intel® Core™ i3-3110M (2.4GHz 3MB Cache), 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVD Super multi, 14.0" HD LED Display with Intel® HD graphics, 10/100/1000 NIC, Wireless b/g/n, Bluetooth, webcam, keyboard, finger-print sensor, Windows 7 Professional 64 (62-bit on disc), Office Starter Edition. 1-Year Warranty	**Factory**
LKN:S7520M0010ZA	**Fujitsu LIFEBOOK S752** Intel® Core™ i5-3210M (3.1GHz, 3MB Cache), 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVD Super multi, 14.0" HD+ LED Display with Intel® HD graphics, 3G enabled, 10/100/1000 NIC, Wireless b/g/n, Bluetooth, 2x digital array mic & FHD cam, anti-bacterial keyboard, finger-print sensor, Windows 7 Professional 64, Office Starter Edition. **3-Year On Site Warranty**	**In stock**

LIFEBOOK S782 14.0" Vpro

Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0, thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector.
Fujitsu Recovery (Hard Disk Based Recovery)
We recommend to use 65W AC adapter for the system. For the usage with Port replicator 80W AC Adapter is required

Factory orders can be customised to client's requirements.

LKN:S7820M0004ZA	**Fujitsu LIFEBOOK S782** Intel® Core™ i5-3320M (3.3GHz 3MB Cache), 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVD Super multi, 14.0" HD Magnesium LED Display with Intel® HD graphics, 10/100/1000 NIC, Wireless b/g/n, Bluetooth, 2x digital array mic & FHD cam, Keyboard black w/o TS US, finger-print sensor with software, Windows 7 Professional 64 (64-bit on disc), Office Starter Edition. 2-Year Bring In Warranty	**Factory**
LBS782-PREMIUM	**Fujitsu LIFEBOOK S782** Intel® Core™ i7-3520M up to 3.6GHz 4MB, 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVD Super multi, 14.0" HD+ LED Display with Intel® HD graphics, 3G enabled, 10/100/1000 NIC, Wireless b/g/n, Bluetooth, 2x digital array mic & FHD cam, anti-bacterial keyboard, finger-print sensor,TPM Module Windows 7 Professional 64, Office Starter Edition. 2-Year Bring In Warranty	**Factory**

LIFEBOOK E752 15.6"

Base unit, Chipset Intel HM76, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector. Fujitsu Recovery (Hard Disk Based Recovery)
Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required

Factory orders can be customised to client's requirements.

LBE752-ENTRY	**Fujitsu LIFEBOOK E752 with FP & 10 key KB** Intel® Core™ i3-3110M 2.4GHz 3MB, 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVD Super multi, 15.6" HD+ (1600 x 900 pixel) LED Display with Intel® HD Graphics, 10/100/1000 NIC, Wireless b/g/n, Bluetooth, webcam, finger-print sensor, Windows 7 Professional 64, Office Starter Edition. 2-Year Warranty	**Factory**
VFY:E7520MF021ZA	**Fujitsu LIFEBOOK E752 vPro with FP & 10 key KB** Intel® Core™ i5-3210M, 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVD Super multi, 15.6" Magnesium HD+ (1600 x 900 pixel) LED Display with Mobile Intel® HD integrated graphics, 10/100/1000 NIC, Wireless a/b/g/n, Bluetooth, 2x digital array mic & HD cam, Mouse, Windows 7 Professional 64, Office Starter Edition. **3-Year NBD On Site Warranty**	**In stock**

LIFEBOOK E752 15.6" Vpro

Base unit, Chipset Intel QM77, prepared for vPro, iAMT 8.0, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD4000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, shocksensor, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 2x USB 2.0, 2x USB 3.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector. Fujitsu Recovery (Hard Disk Based Recovery)
Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra. We recommend for Systems with i3 or i5 processors 65W AC Adapters. For Systems with i7 processors and for usage with port replicator a 80W AC Adapter is required

Factory orders can be customised to client's requirements.

LKN:E7520M0015ZA	**Fujitsu LIFEBOOK E752 vPro with FP & 10 key KB**	
	Intel® Core™ i7-3632QM up to 3.2GHz 6MB, 8GB DDR3 RAM (1x 8GB), 500GB 7200RPM HDD, DVD Super multi, 15.6", HD+ (1600 x 900 pixel) LED Display withMobile Intel® HD integrated graphics, 3G enabled, 10/100/1000 NIC, Wireless a/b/g/n, Bluetooth 4.0, 2x digital array mic & FHD cam, Fingerprint sensor & software, Windows 7 Professional 64, Office Starter Edition. **3-Year On Site Warranty**	

CELSIUS H720 MOBILE WORKSTATION

Base unit for DualCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K2000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W.
Li-Ion battery 6.700mAh, AC adapter 19V, 150W
Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options.
Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules.
Please do not forget to configure the AC Adapter, AC Cable & 1st Battery.
Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module.
If you configure the Blu-ray burner it will come with Playback Software included.
For the portreplicator you need to order an additional 210W AC adaptor and the respective power cord.
Front interfaces: 1 x memory card slot, 1 x wireless switch, 1 x audio in, 1 x audio out
Left side interfaces: 1 x multi bay (ODD, 2nd HD, 2nd Battery, USB-dongle-bay), 1 x Kensington, 1 x Smartcard reader slot
Right side interfaces: 3 x USB 3.0, 1 x eSATA/ 1 x USB 2.0, 1 x Expresscard slot Type 34, 1 x VGA, 1 x RJ45 for LAN, 1 x DisplayPort, 1 x AC adapter
Rear interfaces: -
Interfaces in battery bay: SIM card holder
Interfaces in lower part: 1 x docking connector, 1 x battery bay

Factory orders can be customised to client's requirements.

CH720-MID	**Fujitsu CELSIUS H720 Mobile Workstation - Mid Range**	Factory
	Intel® Core™ i5-3320M (3.3GHz, 3MB Cache), 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVD Supermulti, 15.6" Magnesium HD+ LED Display with NVidia Quadro K2000M OpenGL graphics with 2GB DDR3 memory, Wireless a/b/g/n, Bluetooth, webcam, 3 G, keyboard with N10 key Num Pad, finger-print reader, Windows 7 Professional 64 , Office Starter Edition. 3-Year Bring-in Warranty	
CH720-PREMIUM	**Fujitsu CELSIUS H720 Mobile Workstation - Premium**	Factory
	Intel® Core™ i7-3820QM Quad Core (2.7GHz, 8MB Cache), 8GB DDR3 RAM (2x 4GB), 32GB SSD + 500GB 7200RPM HDD, Blu-ray Triple Writer, 15.6" Magnesium FHD LED Display with NVidia Quadro K2000M OpenGL graphics with 2GB DDR3 memory, 3G enabled, Wireless a/b/g/n, Bluetooth, webcam, keyboard with N10 key Num Pad, finger-print reader, Windows 7 Professional 64, Office Starter Edition. 3-Year Bring In Warranty	

ACCESSORIES AND UPGRADES		AH532	P772	N532	S752	S782	E752
Carry Cases							
S26391-F1191-L107	Casual Entry Case 16, up to 40cm / 15.6"	•	•		•	•	•
S26391-F6036-I610	Mobile Starter Kit 18	•	•	•	•	•	•
S26391-F1191-L167	Casual BACKPACK 16	•	•		•	•	•
S26391-F1191-L134	Prestige Case BACKPACK 17	•	•	•	•	•	•
S26391-F119-L163	Comfort Sleeve, notebooks up to 34cm / 13.3"		•				
S26391-F119-L164	Comfort Sleeve, notebooks up to 38cm / 15.4	•	•		•	•	•
S26391-F119-L171	Messenger Sail Carry Case, notebooks up to 41cm / 16"	•	•		•	•	•
S26391-F1191-L60	Prestige case midi, notebooks up to 41cm / 16"	•	•		•	•	•
S26391-F119-L71	Supreme case maxi, notebooks up to 41cm/16"	•	•		•	•	•
Warranty							
FSP:GB3S00Z00ZANB6	3-Year On-site Service,5x9	•		•			
FSP:GB3S00Z00ZANB2	3-Year On-site Service,5x9					•	
FSP:GB3S00Z00ZANB5	3-Year On-site Service,5x9				•		•
FSP:GB3S00Z00ZANC1	3-Year On-site Service,5x9		•				
Memory							
S26391-F853-L400	4GB DDR3 1600MHz PC3-12800	•					
S26391-F1112-L400	4GB DDR3 1600MHz PC3-12800		•		•	•	•
S26391-F603-L800	8GB DDR3 1600MHz PC3-12800			•			
S26391-F1112-L800	8GB DDR3 1600MHz PC3-12800		•		•	•	•

		AH532	P772	N532	S752	S782	E752
Docking Options							
S26391-F6007-L300	USB PortRep PR07 (1x VGA, 1x RJ45, 4x USB)	•	•	•	•	•	•
S26391-F977-L100	Portrep		•				
S26391-F977-L200	Portrep\0 Watt AC Adapter \EU-Cable Kit		•				
S26391-F1147-L110	Portrep\AC Adapter \EU-Cable Kit				•	•	•
Power							
S26391-F841-L100	AC Adapter 19V (80W)	•					
S26391-F478-L100	AC adapter 19V (80W)			•			
S26391-F1106-L500	AC Adapter 19V/65W slim and light		•		•	•	•
S26391-F886-L200	AC Adapter 19V/80W (0-Watt technology)		•		•	•	•
S26391-F2613-L600	Car/Air adapter	•	•		•	•	•
S26391-F495-L200	1st Battery 6cells, 4400mAh	•					
S26391-F607-L500	1st Battery 8cells, 5800mAh			•			
S26391-F956-L100	1st Battery 6cell 5.800mAh (63Wh)		•		•	•	•
S26391-F1106-L100	1st Battery 6cell 6.700mAh (72Wh)		•		•	•	•
S26391-F777-L200	Modular Bay Battery				•	•	•
S26391-F1124-L500	Modular Bay Battery		•				
S26391-F974-L400	Weight Saver for modular bay		•				
S26391-F777-L300	Weight Saver for modular bay				•	•	•
S26391-F1104-L600	Modular Bay Projector 1.5 LED		•				
Modular Bay Hard Drives ("Second Hard Drives")							
S26391-F984-L600	2'nd HDD bay module				•	•	•
S26391-F984-L620	2'nd HDD bay module		•				
S26391-F1143-L507	2st Hard Disk Drive 500GB 7.2K		•				
S26391-F1143-L507	2nd Hard Disk Drive 500GB 7.2K				•	•	•
Universal Accessories							
S26381-K428-L100	Notebook Mouse 400NB Black Retail	•	•	•	•	•	•
S26381-K457-L100	Mouse M510 Black	•	•	•	•	•	•
S26381-K460-L100	Wireless Notebook Mouse WI160	•	•	•	•	•	•
S26381-K550-L402	Fujitsu KB400 USB Keyboard	•	•	•	•	•	•
S26381-K520-L102	Fujitsu KB520 USB Keyboard	•	•	•	•	•	•
S26381-K564-L402	Fujitsu Wireless Keyboard Set LX900 US	•	•	•	•	•	•
S26361-F1650-L200	MicroSaver Security Cable Lock	•	•	•	•	•	•

Factory Order Lead Times

*** Orders that require assembly: please allow 3-5 weeks lead time from date of order ***

*** Orders that do not require assembly: please allow 2-3 weeks lead time from date of order ***

Prices and specifications are subject to change without prior notice; pricing excludes VAT.

Stock availability statuses and dates are subject to change without prior notice.

E & OE

For repairs and technical assistance, please contact the Fujitsu Services Call Center: 0860-WE-HELP

E & OE

For repairs and technical assistance, please contact the Fujitsu Services Call Center: 0860-WE-HELP

Fujitsu Lifebook UH552 - SLIMBOOK

LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3217U (1.8 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), HD camera, integrated WLAN, Bluetooth V4.0 + HS, 4 in 1 card reader SD/MS/MSPro/SDXC. Multigesture Touchpad with integrated mouse button functionaity. Kensington lock slot. Driver and Utility DVD (DUDVD) . incl. 4 cell Lithium-Polymer battery. AC adapter 19V/65W slimm stick type. Interfaces: HDMI, 1x USB 2.0, 2 x USB 3.0.

factory orders can be customised to client's requirements

VFY:UH552MF031ZA

Fujitsu LIFEBOOK UH552 Silver i3

Intel Core i3-3217U (1.8Ghz, 3MB), 4GB DDR3-1600 RAM, 500GB HDD, 13.3" HD 16:9 Display with integrated Intel Mobile HD4000 Graphics, 10/100/1000 NIC, Wireless a/b/g/n, Bluetooth 4.0, Keyboard iso Black, Windows 7 Professional 64 + Office starter, 1-Year Collect & Return Warranty

Fujitsu Lifebook UH572 - ULTRABOOK

Ultrabook with LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM76 chipset with Mobile Intel HD4000 integrated graphics, Intel Core i5-3317U (1.7 GHz, 3 MB), DDRIII-1600 (2 DIMM slots), 32 GB SSD cache on board, HD camera, integrated WLAN. Bluetooth V4.0 + HS. 4 in 1 card reader SD/MS/MSPro/SDXC. Multigesture Touchpad with integrated mouse button functionaity. Kensington lock slot. Driver and Utility DVD (DUDVD) . incl. 4 cell Lithium-Polymer battery. AC adapter 19V/65W stick type.

factory orders can be customised to client's requirements

VFY:UH572MF021ZA

Fujitsu LIFEBOOK UH572 Silver i5 Win 8

Intel Core i5-3317U (1.7Ghz, 3MB), 4GB DDR3-1600 RAM, 32G SSD & 500GB HDD, 13.3" HD 16:9 Display with integrated Intel Mobile HD4000 Graphics, 10/100/1000 NIC, Wireless a/b/g/n, Bluetooth 4.0, Keyboard iso Black, Windows 8 Professional 64 + Office starter. Downgrade disk to Win 7 Pro. **3 Year on site warranty**

Fujitsu Lifebook UH772 - ULTRABOOK

Base unit, Intel QM77 Chipset, prepared for vPro technology and IAMT 8.0, supports DDR3 1600MHz PC12800 RAM (1 DIMM slot). Mobile Intel HD4000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 LM, Intel High Definition Audio, integrated Touchpad with Gesture support, G-sensor, LED Status display, Eco button, Kensington Lock connector

factory orders can be customised to client's requirements

VFY:U7720MF011ZA

Fujitsu LIFEBOOK U772 Silver

Intel Core i7-3667U (up to 3.2Ghz, 4MB), 8GB DDR3-1600 Mhz PC3-12800 RAM, 32G SSD & 500GB HDD, 14.0" HD Magnesium LED Display with integrated Intel Mobile HD4000 Graphics, VGA Conversion Cable, 10/100/1000 NIC, Wireless a/b/g/n, Bluetooth 4.0, 3G, 2x digital mics & HD cam, Fingerprint sensor & software, TPM module, Keyboard black w/o TS US, Windows 7 Professional 64 + Office starter, **3 Year on site warranty**

VFY:U7720MF021ZA

Fujitsu LIFEBOOK U772 Red

Intel Core i7-3667U (up to 3.2Ghz, 4MB), 8GB DDR3-1600 Mhz PC3-12800 RAM, 256GB SSD HDD, 14.0" HD Magnesium LED Display with integrated Intel Mobile HD4000 Graphics, VGA Conversion Cable, 10/100/1000 NIC, Wireless a/b/g/n, 3G, 2x digital mics & HD cam, Fingerprint sensor & software, TPM module, Keyboard black w/o TS US, Windows 7 Professional 64 + Office starter, **3 Year on site warranty**

ACCESSORIES AND UPGRADES		UH5 552	UH5 72	UH7 72
Carry Cases				
S26391-F1191-L310	Sleeve Case Ultra	•	•	•

S26391-F1191-L107	Casual Entry Case 16, up to 40cm / 15.6"	•	•	•
S26391-F6036-I610	Mobile Starter Kit 18	•	•	•
S26391-F1191-L167	Casual BACKPACK 16	•	•	•
S26391-F1191-L134	Prestige Case BACKPACK 17	•	•	•
S26391-F119-L163	Comfort Sleeve, notebooks up to 34cm / 13.3"	•	•	
S26391-F119-L164	Comfort Sleeve, notebooks up to 38cm / 15.4	•	•	•
S26391-F119-L171	Messenger Sail Carry Case, notebooks up to 41cm / 16"	•	•	•
S26391-F1191-L60	Prestige case midi, notebooks up to 41cm / 16"	•	•	•
S26391-F119-L71	Supreme case maxi, notebooks up to 41cm/16"	•	•	•
Warranty				
FSP:GB3S20Z00ZANC5	3-Year On-site Service,5x9	•		
Memory				
S26391-F933-L400	4GB DDR3 1600MHz PC3-12800	•	•	
Power				
S26391-F938-L630	AC Adapter 19V (65W) w/o cable	•	•	
T26139-Y2540-V113	power cable EU	•	•	
S26391-F1136-L520	3 pin AC Adapter 19V/65W w/o cable			•
S26361-F2581-L310	Power cord three-wire EU			•
S26391-F2613-L600	Car/Air adapter	•	•	•
Docking Options				
S26391-F6007-L300	USB PortRep PR07 (1x VGA, 1x RJ45, 4x USB)	•	•	•
S26391-F6055-L510	USB2.0-LAN-ADAPTER	•	•	
S26391-F938-L900	VGA Conversion Cable	•	•	•
S26391-F1137-L110	Portrep 3-pin AC Adapt 100W/ EU cab. Kit			•
Universal Accessories				
S26381-K428-L100	Notebook Mouse 400NB Black Retail	•	•	•
S26381-K457-L100	Mouse M510 Black	•	•	•
S26381-K460-L100	Wireless Notebook Mouse WI160	•	•	•
S26381-K550-L402	Fujitsu KB400 USB Keyboard	•	•	•
S26381-K520-L102	Fujitsu KB520 USB Keyboard	•	•	•
S26381-K564-L402	Fujitsu Wireless Keyboard Set LX900 US	•	•	•
S26361-F1650-L200	MicroSaver Security Cable Lock	•	•	•
	Factory Order Lead Times	**UH552**	**UH572**	**UH772**
	*** Orders that require assembly: please allow 3-5 weeks lead time from date of order ***			
	*** Orders that do not require assembly: please allow 2-3 weeks lead time from date of order ***			
	Prices and specifications are subject to change without prior notice; pricing excludes VAT.			
	Stock availability statuses and dates are subject to change without prior notice.			
	E & OE			
	For repairs and technical assistance, please contact the Fujitsu Services Call Center: 0860-WE-HELP			

FUJITSU DISTRIBUTOR

Fujitsu STYLISTIC M532 Android Slate

Fujitsu STYLISTIC M532 Android Slate

Base unit with 25.7cm (10.1") TFT wide-view high-bright WXGA LED Display, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare). Intel SM35 Express Chipset with Intel Atom Z690, 2GB memory (DDR2, 800MHz). Mobile Intel GMA 600 graphics. SATA-II Interface for internal HDD and Intel HD Audio. 802.11abgn Wireless LAN with 1x Dual Band antenna. Bluetooth 3.0 with 1x antenna. 2 webcams (1x front and 1x rear). 2 digital microphones and 1 loudspeaker integrated. G-Sensor. fingerprint Factory orders can be customised to client's requirements

S26391-K340-V100	**Fujitsu Stylistic M532** 25.7cm (10.1") TFT high-brightness WXGA Display, capacitive multi-touch screen, Nvidia Tegra 3 Quad-Core T30s ARM Cortex A9, up to Single-Core 1.4GHz/Quad-Core 1.3GHz, 1GB memory (LPDDR2, 800MHz), 32 GB eMMC Flash memory. Bluetooth 3.0, Wireless LAN 802.11a/b/g/n, UMTS/3G with HSPA+, GPS, 2.0MP front camera, 8.0MP rear camera incl. autofocus and flash, 3.170mAh Lithium-Polymer battery for video playback 8.4 hours, digital microphone, 2 x speakers (stereo), acceleration sensor, gyro sensor, magnetic sensor, ambient light sensor, power LED, power/standby button, reset button, volume up/down button. Interfaces: 1 x Micro USB 2.0, 1 x microphone/headphone, 1 x Micro SD card, 1 x SIM card, 1 x docking connector (for charging and HDMI/USB). 1 Year Carry-In warranty	

FUJITSU STYLISTIC - The World's Best Windows Slates

Fujitsu Stylistic Q572 10.1" Covertible Tablet

Base unit with 25,7cm (10,1") TFT wide-view high-bright WXGA/HD LED Display with hardened glass and magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), AMD A68M FCH Chipset, 4 GB Dual Channel DDR3 1600MHz PC12800 RAM fix integrated (soldered). AMD Radeon(TM) HD 6250 integrated graphics. S-ATA III Interface for internal HDD. 10/100/1000 MBit LAN. Realtek HD Audio. 2 digital microphones and 2 loudspeakers integrated. ambient-light sensor. G-Sensor. Factory orders can be customised to client's requirements

LKN:Q5720M0001ZA

Fujitsu Stylistic Q572 with 3G

AMD A68M Processor, 4GB Dual Channel DDR-3 1600Mhz RAM , Mobile Intel® AMD Radeon HD6250 integrated graphics, HD Audio, 2 digital microphones and 2 loudspeaker integrated, G-Sensor, fingerprint sensor, 128GB mSSD HDD, 25.7cm (10.1") TFT wide-view high-bright WXGA LED Display, 3G; Docking Cradle, Windows 8 Professional + Office 2010 Starter on disc. 2-Year Carry-in Warranty - Tablet Sleeve Case Optional

FUJITSU STYLISTIC - The World's Best Windows Slate

Fujitsu Stylistic Q702 11.6" Covertible Tablet

Base unit with 29,5cm (11.6") TFT wide-view high-bright WXGA/HD LED Display with hardened glass and magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel Chipset QM77 with Intel AMT 8.0 functionality (vPro requires Core i5 processor plus Intel W-LAN plus TPM module), supports maximum 4 GB Dual Channel DDR3 1600MHz PC12800 RAM. Mobile Intel HD 4000 integrated graphics. S-ATA III Interface for internal HDD. 10/100/1000 MBit Intel LAN. Intel HD Audio. 2 Factory orders can be customised to client's requirements

STQ702-MID

Fujitsu Stylistic Q702 with 3G

Intel® Core i3-3217U Processor , 4GB Dual Channel DDR3 1600Mhz PC 12800 RAM, mSATA 128GB HDD, Mobile Intel® HD 4000 graphics, Intel® HD Audio, 2 digital microphones and 2 loudspeakers integrated, G-Sensor, fingerprint sensor, 29.5cm (11.6") TFT wide-view high-bright WXGA/HD LED Display with hardened glass and magnesium cover, 3G, HD camera front & 5MP Camera backside Docking Keyboard,Windows 8 64-bit + Office 2010 Starter on disc. 2-Year Carry-in Warranty

VFY:Q7020MF011ZA

Fujitsu Stylistic Q702 with 3G

Intel® Core i5-3427U AMT Processor , 4GB Dual Channel DDR3 1600Mhz PC 12800 RAM, mSATA 256GB SSD HDDMobile Intel® HD 4000 graphics, Intel® HD Audio, 2 digital microphones and 2 loudspeakers integrated, G-Sensor, fingerprint sensor, 29.5cm (11.6") TFT wide-view high-bright WXGA/HD LED Display with hardened glass and magnesium cover, 3G, HD camera front & 5MP Camera backside Docking Keyboard,Windows 8 Pro 64-bit + Office 2010 Starter on disc. **3-Year On Site Warranty**

Fujitsu LIFEBOOK T902 13.3" Convertible Tablet/Notebook

requires Core i5/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 16 GB Dual Channel DDR3 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Factory orders can be customised to client requirements

LBT902-MID

Fujitsu LIFEBOOK T902 Mid-range - Vpro

Intel® Core™ i5-3320M (3.3GHz 3MB), 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVD Super Multi (Reader / Writer), WSXGA/HD+ LED Display with gorilla glass 2 & magnesium cover, Dual digitizer for pen input plus capacitive multi-touch, Intel® HD 4000 integrated Graphics, FHD Webcam,Keyboard, TPM, 10/100/1000 NIC, Intel® Centrino Wireless 6205 802.11a\b\g\n (WW), Bluetooth 4.0, 3G Enabled, Tablet Pen, Notebook Case, AC Adapter. Windows 7 Professional 64-bit on disc. 2-Year Carry-in Warranty

LBT902-PREMIUM

Fujitsu LIFEBOOK T902 Premium - Vpro

Intel® Core™ i7-3540M (3.7GHz 4MB), 8GB DDR3 RAM (1x 8GB), 250GB SATA III SSD HDD, Blue-Ray Triple Writer, WSXGA/HD+ LED Display with gorilla glass 2 & magnesium cover, Dual digitizer for pen input plus capacitive multi-touch, Intel® HD 4000 integrated Graphics, FHD Webcam,Keyboard, TPM, 10/100/1000 NIC, Intel® Centrino Wireless 6205 802.11a\b\g\n (WW), Bluetooth 4.0, 3G Enabled, Tablet Pen, Notebook Case, AC Adapter. Windows 7 Professional 64-bit on disc. 2-Year Carry-in Warranty

ACCESSORIES AND UPGRADES		T10 10	Q55 0	M53 2	Q57 2	Q70 2	T90 2
Carry Cases							
TAV:K39532UK465	Kensington KeyFolio(TM) Expert UK 10"			•			
S26391-F119-L323	Protective cradle set STYLISTIC M532			•			
S26391-F119-L322	Sleeve Case Stylistic M532			•			
S26391-F119-L300	Folio Case for Stylistic Q550 TPU		•				
S26391-F1191-L134	PRESTIGE Case BACKPACK 17	•	•	•	•	•	•
S26391-F1191-L311	Tablet Sleeve 11				•	•	
S26391-F119-L163	Comfort Sleeve, notebooks up to 34cm / 13.3"	•	•	•	•	•	•
S26391-F119-L164	Comfort Sleeve, notebooks up to 38cm / 15.4	•	•	•	•	•	•
S26391-F119-L171	Messenger Sail Carry Case, notebooks up to 41cm / 16"	•	•	•	•	•	•
S26391-F1191-L60	Prestige case midi, notebooks up to 41cm / 16"	•	•	•	•	•	•
S26391-F119-L71	Supreme case maxi, notebooks up to 41cm/16"	•	•	•	•	•	•
Warranty							
FSP:GN3S00Z00ZANB3	3-Year On-site Service,5x9		•		•	•	

		T1010	Q550	M532	Q532	Q702	T902
FSP:GN3S00Z00ZANC4	3-Year On-site Service,5x9			•			
FSP:GB3S00Z00ZAPEN	3-Year On-site Service,5x9	•					
FSP:GB3S00Z00ZANC1	3-Year On-site Service,5x9						•
Memory							
S26391-F436-L200	2GB DDR3 1066MHz PC3-8500	•					
S26391-F1112-L400	4GB DDR3 1600MHz PC3-12800						•
S26391-F1112-L800	8GB DDR3 1600MHz PC3-12800						•
Power							
S26391-F1106-L520	3 pin AC Adapter 19V/100W w/o cable						•
S26391-F338-L100	AC Adapter (including DC plug EU/UK/US)			•			
S26391-F1216-L510	AC Adapter (including DC plug EU)				•	•	
S26391-F2474-L600	AC adapter 19V (80W)	•					
S26391-F916-L200	Battery 4cell 38Wh (5240mAh)		•				
S26391-F1216-L100	Battery 4cell 36Wh (50000mAh)				•		
S26391-F1206-L100	Battery PortRep 4cell 45Wh (3150mAh)					•	
S26391-F1186-L100	1st Battery 6cell 72Wh (6,700mAh)						•
S26391-F1186-L110	2nd Battery 6cell 28Wh (2,600mAh)						•
S26391-F2613-L600	Car/Air adapter	•	•	•	•	•	•
S26391-1184-L100	Weight Saver for modular bay						•
Docking Options							
S26391-F6007-L300	USB PortRep PR07 (1x VGA, 1x RJ45, 4x USB)	•	•	•	•	•	•
S26391-F338-L200	Cradle			•			
S26391-F917-L110	Cradle / AC Adapter / EU Cable Kit		•				
S26391-F1217-L510	Cradle / AC Adapter / EU Cable Kit				•		
S26391-K362-V100	Portreplicator with Keyboard US					•	
S26391-F1187-L110	Portrep\0 Watt\AC Adapter\EU-Cable Kit - T902						•
Modular Bay Hard Drives ("Second Hard Drives")							
S26391-F1184-L600	2'nd HDD bay module						•
S26391-F1103-L327	2nd HDD 320GB 5.4k for 2nd HDD Kit						•
Universal Accessories							
S26381-K428-L100	Notebook Mouse 400NB Black Retail	•				•	•
S26381-K457-L100	Mouse M510 Black	•				•	•
S26381-K460-L100	Wireless Notebook Mouse WI160	•				•	•
S26381-K550-L402	Fujitsu KB400 USB Keyboard	•				•	•
S26381-K520-L102	Fujitsu KB520 USB Keyboard	•				•	•
S26381-K540-L402	Fujitsu BT Keyboard Set LX360 US	•	•	•	•	•	•
S26381-K564-L402	Fujitsu Wireless Keyboard Set LX900 US	•	•			•	•
S26361-F1650-L200	MicroSaver Security Cable Lock	•				•	•

Factory Order Lead Times

*** Orders that require assembly: please allow 3-5 weeks lead time from date of order ***

*** Orders that do not require assembly: please allow 2-3 weeks lead time from date of order ***

Prices and specifications are subject to change without prior notice; pricing excludes VAT.

Stock availability statuses and dates are subject to change without prior notice.

E & OE

For repairs and technical assistance, please contact the Fujitsu Services Call Center: 0860-WE-HELP

CELSIUS W420 Workstation

Base unit, system board D3162, 300 W wide range power supply, optical USB tilt scroll mouse; Chipset: Intel Q77.

Factory configurations can be customised to client's requirements.

S26361-K1358-V215	**Fujitsu CELSIUS W420 Workstation**
S26361-F4495-E377	Intel® Core i7-3770 3.90Ghz, 8MB (4C/8T)
S26361-F3384-E4	8GB DDR3-1600
S26361-F3420-E510	DVD SuperMulti SATA (BluRay Triple Writer optionally available)
S26361-F3660-E100	HDD SATA III 1000GB 7.2k
S26361-F2581-E35	Cable for SATA HDD
S26361-F2930-E141	Country kit Euro-cable (EU+)
S26381-K520-E102	KB520 USA
S26361-F2208-E100	License - Windows 8 Pro
S26361-F2208-E200	Load Win8 Pro (64) MAIN+Office2010t
S26361-F2208-E302	OS RDVD Windows 8 Pro (64)

Above does not include a graphics card, please select a factory-installed graphics card from the supported W380 options below

S26361-F2856-E61	NVIDIA Quadro 600 1GB
S26361-F2856-E201	NVIDIA Quadro 2000 1GB
S26361-F2530-E390	AMD FirePro V3900 1GB
S26361-F2530-E490	AMD FirePro V4900 1 GB
S26361-F3300-E500	AMD FirePro W5000 2 GB
S26361-F2391-E200	Display Port/ DVI-D adapter cable
S26361-F2391-E1	DVI/VGA Adapter

CELSIUS W520 Workstation

Base unit, system board D3167, 300 W wide range power supply, optical USB tilt scroll mouse, EraseDisk; chipset: Intel C216;
Slots: 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non ECC, dual channel). 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 3x PCIe x1, 2x PCI (32-bit / 33 MHz). Onboard I/O-devices: Intel HD Graphics 2500 or HD Graphics P4000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; Bays: 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front). Front interfaces:
2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in. Rear interfaces: 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) oder 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 2x USB 3.0, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial. Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector (switchable in BIOS).
Embedded security (TPM 1.2) Disable / Hide TPM option

Factory configurations can be customised to client's requirements.

S26361-K1359-V315	**Fujitsu CELSIUS W520 Workstation**
S26361-F4573-E270	Intel® Xeon® E3-1270v 3.50 GHz, 8 MB Turbo Boost, (4C/8T)
S26361-F3384-E4	8GB DDR3-1600
S26361-F3420-E510	DVD SuperMulti SATA (BluRay Triple Writer optionally available)
S26361-F3660-E100	HDD SATA III 1000GB 7.2k
S26361-F2581-E32	Cable for SATA HDD
S26361-F2930-E102	Country kit (INT, power cord EU)
S26381-K520-E102	KB520 USA
S26361-F2208-E100	License - Windows 8 Pro
S26361-F2208-E200	Load Win8 Pro (64) MAIN+Office2010t
S26361-F2208-E302	OS RDVD Windows 8 Pro (64)

Above does not include a graphics card, please select a factory-installed graphics card from the supported W480 options below

S26361-F2856-E61	NVIDIA Quadro 600 1GB
S26361-F2856-E201	NVIDIA Quadro 2000 1GB
S26361-F2530-E390	AMD FirePro V3900 1GB
S26361-F2530-E490	AMD FirePro V4900 1 GB
S26361-F3300-E500	AMD FirePro W5000 2 GB
S26361-F2391-E200	Display Port/ DVI-D adapter cable
S26361-F2391-E1	DVI/VGA Adapter

CELSIUS M720 Workstation

System board D3128, Chipset: Intel C602; Theseus system management controller, 500 W wide range power supply, optical USB tilt- wheel-mouse; prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included.
Slots: 8 DIMM-slots, 4 channels (DDR3 1600Mhz) ; 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe x4 Gen2 (mechanical PCIe x16), 2x PCIe x4 Gen3 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz)
Onboard I/O devices: 1x 1Gbit network controller Intel 82579LM, SATA controller (2x SATA 6Gbit and 4x SATA 3Gbit Ports), HD-Audio 5.1 CX20642 SAS upgrade option (Intel C604): SAS 3Gbit controller optional via UpgradeRom (4 Ports, SAS/SATA RAID 0, 1 und 10) Bays: 2x 5,25" and 2x 3,5" FlexiBays externally accessible, 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] - all internal HDD bays accessable from the front.
Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio out, 1x audio in, 2x PS/2 for mouse and keyboard, Internal interfaces: 2x USB 2.0, 1x serial, 1x USB 2.0 with standard connector (e.g. Dongle)
Embedded security (TPM 1.2) - Infineon Disable / Hide TPM option EraseDisk

Factory configurations can be customised to client's requirements.

S26361-K1399-V115	**Fujitsu CELSIUS M720 power Workstation**
S26361-F4536-E620	Xeon E5-2620 2,00 GHz, 15 MB Turbo Boost,
S26361-F3383-E416	8GB DDR3-1600 ECC
S26361-F3420-E530	DVD SuperMulti SATA (BluRay Triple Writer optionally available)
S26361-F3521-E100	HDD SATAIII 1000GB 7.2k BC
S26361-F2581-E31	Cable for SATA HDD
S26361-F2930-E102	Country kit (INT, power cord EU)
S26381-K520-E102	KB520 USA
S26361-F2009-E653	REC-DVD Win7 Professional 64 All MuLi
S26361-F2009-E255	License EM-MEA - Windows 7 Professional
S26361-F2009-E452	Win7 Pro64 MuLiB+OfficeReady

Above does not include a graphics card, please select a factory-installed graphics card from the supported M470 options below

S26361-F2856-E61	NVIDIA Quadro 600 1GB
S26361-F2856-E201	NVIDIA Quadro 2000 1GB
S26361-F2222-E400	NVIDIA Quadro 4000 3GB
S26361-F2222-E500	NVIDIA Quadro 5000 4GB
S26361-F2530-E390	AMD FirePro V3900 1GB
S26361-F2530-E490	AMD FirePro V4900 1 GB
S26361-F3300-E500	AMD FirePro W5000 2 GB
S26361-F3300-E700	AMD FirePro W7000 4 GB
S26361-F2391-E200	Display Port/ DVI-D adapter cable
S26361-F2391-E1	DVI/VGA Adapter

CELSIUS H720 MOBILE WORKSTATION

Base unit for DualCore CPUs, Mobile Intel QM77 Express Chipset, supports vPro, supports Dual Channel DDR3 1600 MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk or USB-dongle-bay. NVidia Quadro K2000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Express Card slot type 34, 1x Smart Card reader, SD Card reader, integrated Touchpad, 3 mouse buttons, fingerprint sensor, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 3.0, 1x USB 2.0/1x eSATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 150W.
Li-Ion battery 6.700mAh, AC adapter 19V, 150W
Modular bay concept for optical drives, second battery, second hard disk drive or USB-dongle-bay. Please configure 2nd-HDD-bay-module and respective drive from options.
Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules.
Please do not forget to configure the AC Adapter, AC Cable & 1st Battery.
Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module.
If you configure the Blu-ray burner it will come with Playback Software included.
For the portreplicator you need to order an additional 210W AC adaptor and the respective power cord.
Front interfaces: 1 x memory card slot, 1 x wireless switch, 1 x audio in, 1 x audio out
Left side interfaces: 1 x multi bay (ODD, 2nd HD, 2nd Battery, USB-dongle-bay), 1 x Kensington, 1 x Smartcard reader slot
Right side interfaces: 3 x USB 3.0, 1 x eSATA/ 1 x USB 2.0, 1 x Expresscard slot Type 34, 1 x VGA, 1 x RJ45 for LAN, 1 x DisplayPort, 1 x AC adapter
Rear interfaces: -
Interfaces in battery bay: SIM card holder
Interfaces in lower part: 1 x docking connector, 1 x battery bay

Factory orders can be customised to client's requirements.

CH720-MID	**Fujitsu CELSIUS H720 Mobile Workstation - Mid Range** Intel® Core™ i5-3320M (3.3GHz, 3MB Cache), 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVD Supermulti, 15.6" Magnesium HD+ LED Display with NVidia Quadro K2000M OpenGL graphics with 2GB DDR3 memory, Wireless a/b/g/n, Bluetooth, webcam, 3 G, keyboard with N10 key Num Pad, finger-print reader, Windows 7 Professional 64 , Office Starter Edition. 3-Year Bring-in Warranty
CH720-PREMIUM	**Fujitsu CELSIUS H720 Mobile Workstation - Premium** Intel® Core™ i7-3820QM Quad Core (2.7GHz, 8MB Cache), 8GB DDR3 RAM (2x 4GB), 32GB SSD + 500GB 7200RPM HDD, Blu-ray Triple Writer, 15.6" Magnesium FHD LED Display with NVidia Quadro K2000M OpenGL graphics with 2GB DDR3 memory, 3G enabled, Wireless a/b/g/n, Bluetooth, webcam, keyboard with N10 key Num Pad, finger-print reader, Windows 7 Professional 64. Office Starter Edition. 3-Year Bring In Warranty

Factory Order Lead Times

*** Orders that require assembly: please allow 3-5 weeks lead time from date of order ***

*** Orders that do not require assembly: please allow 2-3 weeks lead time from date of order ***

Prices and specifications are subject to change without prior notice; pricing excludes VAT.

Stock availability statuses and dates are subject to change without prior notice.

E & OE

For repairs and technical assistance, please contact the Fujitsu Services Call Center: 0860-WE-HELP

Fujitsu ESPRIMO E400-Series Professional PC

ESPRIMO E400 E85+ Base unit: ; Mainboard type D2990 ATX; Chipset Intel H61, max. 8 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 Gbit) NCQ AHCI; 250 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DVI, optional x USB 3.0 total, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x VGA,

Factory configurations can be customised to client's requirements.

LKN:E0400P0003ZA	**Fujitsu ESPRIMO E400 Convertible Desktop E85+** Intel Core i3-2130, 4GB DDR3-1333, 500GB HDD, DVD Super Multi (reader/writer), Intel® graphics, Gigabit LAN, Keyboard and Mouse, Windows 7 Professional 64-bit + OfficeReady. Includes FSP:GN3S007007AU01 Service Pack. 3-Year On-Site Warranty	

Fujitsu ESPRIMO E510-Series Professional PC

ESPRIMO E510 E85+ Base unit: ; Mainboard type D3171 ATX; Chipset Intel B75, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x (174 mm / 6.85 inch) Low profile, 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 3.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 Gbit), 1x Serial ATA III (6 Gbit) NCQ AHCI; 280 W Max. output of single power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 8 x USB 2.0 total, 2x 2.0 x USB front, 4x 2.0/ 2x 3.0 x USB rear, 2x 2.0/ 2x 3.0 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA,

Factory configurations can be customised to client's requirements.

Fujitsu ESPRIMO E510-Series Professional PC

VFY:E0510PF021ZA	**Fujitsu ESPRIMO E510 Convertible Desktop** Intel i5-3470, 4GB DDR3-1333, 500GB HDD, No DVD Super Multi (reader/writer), Intel® graphics, Gigabit LAN, Keyboard and Mouse, Windows 7 Professional + OfficeReady. Includes FSP:GN3S00Z00ZAU06 Service Pack. 3-Year On-Site Warranty	

ESPRIMO P910 0-Watt Green Professional PC

Intel vPro Logo mit Core i5 3xxx and Core i7 3xxx processor; ESPRIMO P910 0-Watt Base unit: Mainboard type D3162 ATX; Chipset Intel Q77, max. 32 GB, 4 DIMM (DDR3) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same.; Graphics: Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x (170 mm / 6.7 inch) Full height, 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 3.0 x16, Drive bays: 2 x 3.5-inch external bays, 1 x 2.5-inch internal bay, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 Gbit), 2x Serial ATA III (6 Gbit) NCQ AHCI RAID (Windows XP not supported) Intel Smart Response Technology (depending on CPU); 280 W Max. output of single power suppiy; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, 4 x USB 3.0 total, 10 x USB 2.0 total, 4x 2.0 or 2x 2.0/ 2x 3.0 x USB front, 6x 2.0 / 2x 3.0 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA

Factory configurations can be customised to client's requirements.

EP910-ENTRY	**Fujitsu ESPRIMO P910 Tower PC Entry** Intel Core i3-2130, 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVDRW-Supermulti, 10/100/1000 NIC, Mouse & Keyboard, Windows 8 Professional 64, Office Starter Edition. 3-Year Warranty	**Factory**
EP910-MID	**Fujitsu ESPRIMO P910 Tower PC Mid-range** Core i5-3470, 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVDRW-Supermulti, 10/100/1000 NIC, Mouse & Keyboard, Windows 8 Professional 64, Office Starter Edition. 3-Year Warranty	**Factory**
EP910-PREMIUM	**Fujitsu ESPRIMO P910 Tower PC Premium** Intel Core i7-3770 (4C/8T 3.4GHz/ 3.9GHz Turbo, 8MB Cache), 8GB DDR3 RAM (2x4GB), 1TB 7200RPM HDD, DVDRW-Supermulti, ATI Radeon HD7350 1GB Graphics, 10/100/1000 NIC, Mouse & Keyboard, Windows 8 Professional 64, Office Starter Edition. 3-Year Warranty	**Factory**

Fujitsu ESPRIMO Q910-Series Professional Mini-PC

Base unit, proprietary form factor, Intel iQ77 chipset with max. 16GB memory, 2x SODIMM slot DDR3 1600 MHz, graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX20642) / LAN (10/100/1000 Mbit/s Intel 82579LM), 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 65 W integrated power supply, optical USB scroll mouse; keyboard only optional. 3 year Brng in warranty
DVI to VGA adapter part of shipment.

Factory configurations can be customised to client's requirements.

EQ910-ENTRY	**Fujitsu ESPRIMO Q910 Mini-PC Entry** Pentium G1610T 2.30GHz 2MB Cache), 2GB DDR3 RAM (1x 2GB), 320GB 7200RPM 2.5" HDD, DVDRW-Supermulti, Mouse & Keyboard, VGA/DVI Dual-View Cable, Office Starter Edition. 3-Year Warranty	**Factory**
EQ910-MID	**Fujitsu ESPRIMO Q910 Mini-PC Mid-range** Core i3-3220T, 4GB DDR3 RAM (1x 4GB), 500GB 5400RPM 2.5" HDD, DVDRW-Supermulti, Wireless, Mouse & Keyboard, VGA/DVI Dual-View Cable, Office Starter Edition. **3-Year On Site Warranty**	**Factory**
EQ910-PREMIUM	**Fujitsu ESPRIMO Q910 Mini-PC Premium** Intel Core i5-3470T 2.90GHz, 3MB Cache, 4GB DDR3 RAM (1x 4GB), 500GB 5400RPM 2.5" HDD, DVDRW-Supermulti, Wireless, Mouse & Keyboard, Office Starter Edition. 3-Year Warranty	**Factory**

Fujitsu ESPRIMO C710-Series Professional Mini-PC

Base unit, proprietary system board D3164, Intel iQ75 chipset with max. 32GB address space, 4x DIMM slots DDR3 1600 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Intel HD Graphics, HD Graphics 2000, HD Graphics 2500, HD Graphics 4000 (depending on CPU)) / audio (Conexant CX 20642) / LAN (10/100/1000 Mbit/s Intel 82579V), 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe 3.0 x16 slot, 1x Serial ATA III (6Gb/s/NCQ), 2x Serial ATA II ports (3Gb/s/NCQ), 250W wide range power supply (90% efficiency), optical USB tilt wheel mouse, internal speaker, DeskView 10.x client management included. DVI to VGA adapter is part of shipment.
Interfaces: 2x serial external (powered), 2x PS/2, 2x USB 3.0 rear, 4x USB 2.0 rear, 2x USB 2.0 internal, 2x USB 3.0 front, 2x USB 2.0 front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45

Factory configurations can be customised to client's requirements.

VFY:C0710P4211ZA	**Fujitsu ESPRIMO C710 Mini-PC Entry** Pentium G870, 2GB DDR3 RAM (1x 2GB), 250GB 7200RPM 2.5" HDD, DVDRW-Supermulti, Mouse & KB520 Keyboard, Windows 8 Professional 64 , Office Starter Edition. 3-Year On Site Warranty	

ESPRIMO X913 All-In-One

ESPRIMO X913 Base unit: Intel vPro Logo with Core i5 processors; Mainboard type D3204 proprietary ; Chipset Intel Q77, max. 16 GB, 2 SO DIMM (DDR3, 1600 MHz) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD GraphicsIntel HD Graphics 2000Intel HD Graphics 2500; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: , Drive bays: 0 x 2.5-inch bays; 1 x Serial ATA III (6 Gbit) NCQ AHCI; 100 W (integrated in system) Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, optional with camera module x Internal microphones, 1 x DVI, 4 x USB 3.0 total, 2 x USB 2.0 total, 2x2.0 2x3.0 x USB rear, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN, 1 (optional with WLAN module) x Bluetooth

Factory configurations can be customised to client's requirements.

EX913-MID	**Fujitsu ESPRIMO X913 All-In-One PC** Intel Core i3-2120T, 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVDRW-Supermulti, 10/100/1000 NIC, Mouse & Keyboard, Windows 8 Professional 64, Office Starter Edition. 3-Year Warranty	**Factory**
EX913-HIGH	**Fujitsu ESPRIMO X913 All-In-One PC** Core i5-3470T, 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVDRW-Supermulti, 10/100/1000 NIC, Mouse & Keyboard, Windows 8 Professional 64, Office Starter Edition. 3-Year Warranty	**Factory**

ESPRIMO X913T All-In-One Touchscreen

ESPRIMO X913-T Base unit: Intel vPro Logo with Core i5 processors; Mainboard type D3204 proprietary ; Chipset Intel Q77, max. 16 GB, 2 SO DIMM (DDR3, 1600 MHz) slots 1600 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; Graphics: Intel HD GraphicsIntel HD Graphics 2000Intel HD Graphics 2500; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: , Drive bays: 0 x 2.5-inch bays; 1 x Serial ATA III (6 Gbit) NCQ AHCI; 100 W (integrated in system) Max. output of single power supply; Optical USB wheel mouse; DeskView ClientDeskView Instant BIOS ManagementDeskView Integration for Symantec Management Platform; Interfaces: 1 x Audio: line-in / microphone, 1 x Audio: line-out / headphone, optional with camera module x Internal microphones, 1 x DVI, 4 x USB 3.0 total, 2 x USB 2.0 total, 2x2.0 2x3.0 x USB rear, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN, 1 (optional with WLAN module) x Bluetoot

Factory configurations can be customised to client's requirements.

EX913T-MID	**Fujitsu ESPRIMO X913T All-In-One PC Touchscreen PC** Intel Core i3-2120T, 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVDRW-Supermulti, 10/100/1000 NIC, Presence sensor, Mouse & KB900 Keyboard, Windows 8 Professional 64. Office Starter Edition. 3-Year Warrantv	**Factory**
EX913-HIGH	**Fujitsu ESPRIMO X913T All-In-One PC Touchscreen PC** Core i5-3470T, 4GB DDR3 RAM (1x 4GB), 500GB 7200RPM HDD, DVDRW-Supermulti, 10/100/1000 NIC, Presence sensor, Mouse & KB900 Keyboard, Windows 8 Professional 64, Office Starter Edition. 3-Year Warrantv	**Factory**

AFTER MARKET ACCESSORIES AND UPGRADES

		P400	E400	E510	P910	Q910	C710	X913/T
Service Packs								
FSP:GB3S00Z00ZAU03	3-Year On-site Service				•			
FSP:GB3C00Z00ZAU01	3-Year On-site Service	•	•					
FSP:GB3C00Z00ZAU06	3-Year On-site Service			•				
FSP:GN3S00Z00ZAU04	3-Year On-site Service					•		
FSP:GN3S00Z00ZAU02	3-Year On-site Service						•	
FSP:GN3S00Z00ZAU09	3-Year On-site Service							•
Memory								
S26361-F3384-L2	2GB DDR3-1600			•	•			
S26361-F4553-L2	2GB DDR3-1600					•		
S26361-F3378-L2	2GB DDR3-1333	•	•					
S26361-F3384-L3	4GB DDR3-1600			•	•		•	
S26361-F4553-L3	4GB DDR3-1600					•		
S26361-3378-L3	4GB DDR3-1333	•	•					
S26361-F3384-L4	8GB DDR3-1600			•	•		•	
Expansion and Multimedia								
S26361-F3077-L51	MCR 24in1 + USB 3.0 front con., 3.5"	•	•					
S26361-F3077-L52	MCR 24in1 + USB 3.0 front con., 3.5"			•				
S26361-F3108-L5	WLAN III, 802.11g/Draft-n (internal, USB)	•	•	•	•		•	
S26361-F3316-L6	Dual Serial card PCI	•	•	•	•		•	
S26361-F2542-L30	Parallel Interface (requires internal port)			•				
S26361-F2542-L34	Parallel Interface (requires internal port)				•			
S26361-F2542-L60	Parallel Interface						•	
S26361-F2542-L40	eSATA Interface			•			•	
S26361-F2542-L70	eSATA Interface				•			
S26361-F2542-L338	Lock Plate ESPRIMO Q					•		
S26361-F2601-L200	VESA Sub Adapter					•		
Universal Accessories								
S26381-K428-L100	Notebook Mouse 400NB Black Retail	•	•	•	•	•	•	•
S26381-K457-L100	Mouse M510 Black	•	•	•	•	•	•	•
S26381-K460-L100	Wireless Notebook Mouse WI160	•	•	•	•	•	•	•
S26381-K550-L402	Fujitsu KB400 USB Keyboard	•	•	•	•	•	•	•
S26381-K520-L102	Fujitsu KB520 USB Keyboard	•	•	•	•	•	•	•
S26381-K564-L402	Fujitsu Wireless Keyboard Set LX900 US	•	•	•	•	•	•	•
S26361-F1650-L200	MicroSaver Security Cable Lock	•	•	•	•	•	•	•

Factory Order Lead Times

*** Orders that require assembly: please allow 3-5 weeks lead time from date of order ***

*** Orders that do not require assembly: please allow 2-3 weeks lead time from date of order ***

P400	E400	E510	P910	Q910	C710	X913/T

Prices and specifications are subject to change without prior notice; pricing excludes VAT.

Stock availability statuses and dates are subject to change without prior notice.

E & OE

For repairs and technical assistance, please contact the Fujitsu Services Call Center: 0860-WE-HELP

Fujitsu FUTRO DZ22-2 Zero Client

Zero Client DZ22-2
with 55.9cm (22") LED backlit display, 4-in-1 Stand, 1x RJ45 LAN (incl. support for PoE with compatible midspans), 4x USB 2.0,
1x DVI-I, 1x audio-in, 1x audio out, Status LEDs and function keys, power cable.
Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right.
Supports virtual infrastructures with:
- VMware®: ESX, ESXi, vCenter, View
- Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V
- Microsoft®: Hyper-V with SCVMM

BDL:DZ_22-2_VMW

Fujitsu Zero Client DZ22-2 VMWare
All-in-one terminal with support for second display via DVI port, 22" LED display with 340° swivel and rotation into Portrait Mode, 4x USB ports, 1x DVI port, speakers; for Microsoft Hyper-V environments. 3-Year Collect-Repair-Return Warranty

Fujitsu FUTRO C400 Multi-seat Computing

C400 Multi-Seat

BDL:FUTRO_C400

Fujitsu C400 Multi-Seat
FUTRO C400 ARM processor, 4 USB ports, microphone and speaker jack, 10/100 Ethernet, vSpace Software. Standard warranty:
2 year, Bring-in Service.

Fujitsu FUTRO Z220 Thin Client

FUTRO Z220 Base unit: ; Mainboard type D3252-A1 proprietary ; Chipset , , max. 1 GB, slots , Fixed size of onboard DDR3 main memory ; Graphics: ; Audio: Texas Instruments TLV320AIC3105; LAN: Built-in 10/100/1000 MBit/s Realtek RTL8211E; Slots: ; Interfaces: N/A x N/A, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, N/A x N/A, N/A, 1 x DC-in, 2 (1x DVI-I and 1x DVI-D; integrated VGA can be used with DVI-VGA adapter) x DVI, 4 x USB 2.0 total, 2 x USB front, 2 x USB rear, 1 (on mini PCIe connector) x USB internal, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 802.11a/b/g/n (optional) x Integrated WLAN,
Factory configurations can be customised to client's requirements

S26361-K1051-V100

Fujitsu FUTRO Z220 - eElux

S26361-K1051-V100

Fujitsu FUTRO Z220 - eElux

Fujitsu FUTRO A300 eLux Thin Client

Base unit: FUTRO A300; mainboard-type: miniITX; chipset: VIA VX900; graphics: VIA VX900 integrated; audio: VIA VT1708S; main memory: 1 GB; flash memory: 1 GB CF card; LAN: 10/100/1000Mbit/s; Interfaces: 1 x DVI-I, 2 x audio: 1 x line-in/microphone, 1 x line-out/headphone, 4 x USB 2.0 in total, 2 x front USB, 2 x PS/2, 1 x Ethernet (RJ-45); Pre-installed eLux RL 3.x. No licenses for eLux or Scout EP are included.
Licensing is possible with existing licenses (e.g. in case of exchanging Thin Clients) or with the optional eLux-License S26361-F2727-L702. (If no license is available, the Thin Client can be booted 40 times.)
Following accessories are included in package:
- A/C adapter
- EU power cable (two pin)
- Safety information and quick start guide
More accessories like DVI-VGA adapter, dual monitor cable (DVI-VGA Y-cable), country specific power cables, monitor-/VESA-mounting kits, mice and keyboards are available as options.

Factory configurations can be customised to client's requirements

S26361-K1077-V200

Fujitsu FUTRO A300 - eElux

S26361-K1077-V100

Fujitsu FUTRO A300 - Windows Embedded

Fujitsu FUTRO S700 Thin Client

FUTRO S700 Base unit: ; Mainboard type D3003-B miniITX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 2 GB, 1 SO DIMM (DDR3, 1066 MHz) slots , ; Graphics: ATI Radeon HD 6250 ; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 1 x DC-in, 1 DP x DisplayPort, 1 DVI-I x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),

Factory configurations can be customised to client's requirements

S26361-K1040-V100

Fujitsu FUTRO S700 - RH Elux without license
1GB RAM, 4GB CF, Mouse

S26361-K1040-V100

Fujitsu FUTRO S700 - RH Elux with license
1GB RAM, 4GB CF, Mouse

S26361-K1040-V100	**Fujitsu FUTRO S700 - RH Elux + Scout built in** 1GB RAM, 4GB CF, Mouse
S26361-K1040-V100	**Fujitsu FUTRO S700 - Windows Embedded** 1GB RAM, 4GB CF, Mouse

Fujitsu FUTRO S900 Thin Client

FUTRO S900 Base unit: ; Mainboard type D3003-A miniITX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 4 GB, 2 SO DIMM (DDR3, 1066 MHz) slots , ; Graphics: ATI Radeon HD 6250 ; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: 1 x PCI slots, 1 x PCI-Express x1; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 1 x DC-in, 1 DP x DisplayPort, 1 DVI-I x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),

Factory configurations can be customised to client's requirements

S26361-K1050-V100	**Fujitsu FUTRO S900 - RH Elux without license** 2GB RAM, 8GB CF, Mouse
S26361-K1050-V100	**Fujitsu FUTRO S900 - RH Elux with license** 2GB RAM, 8GB CF, Mouse
S26361-K1050-V100	**Fujitsu FUTRO S900 - RH Elux + Scout built in** 2GB RAM, 8GB CF, Mouse
S26361-K1050-V100	**Fujitsu FUTRO S900 - Windows Embedded** 2GB RAM, 8GB CF, Mouse

Fujitsu FUTRO X913 All-In-One Thin Client

FUTRO X913 Base unit: ; Mainboard type D3203 proprietary ; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 4 GB, 2 SO DIMM (DDR3, 1066 MHz) slots , ; Graphics: AMD Radeon HD 6250; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: ; Interfaces: integrated in presence sensor and multi media module (optional) x Internal microphones, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 8 x USB 2.0 total, 4 x USB rear, 2 x USB internal, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN,

Factory configurations can be customised to client's requirements

S26361-K1066-V200	**Fujitsu FUTRO X913 - RH Elux without license** 2GB RAM, 8GB CF, Mouse
S26361-K1066-V200	**Fujitsu FUTRO X913 - RH Elux with license** 2GB RAM, 8GB CF, Mouse
S26361-K1066-V200	**Fujitsu FUTRO X913 - RH Elux + Scout built in** 2GB RAM, 8GB CF, Mouse
S26361-K1066-V200	**Fujitsu FUTRO X913 - Windows 7 Embedded** 2GB RAM, 8GB CF, Mouse

Fujitsu FUTRO X913T All-In-One Touchscreen Thin Client

FUTRO X913-T Base unit: ; Mainboard type D3203 proprietary ; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 4 GB, 2 SO DIMM (DDR3, 1066 MHz) slots , ; Graphics: AMD Radeon HD 6250; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: ; Interfaces: integrated in presence sensor and multi media module (optional) x Internal microphones, 1 DVI-I (integrated VGA can be used with DVI-VGA adapter) x DVI, 8 x USB 2.0 total, 4 x USB rear, 2 x USB internal, 2 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 (via DVI to VGA adapter, part of shipment) x VGA, 1 (optional) x Integrated WLAN,

Factory configurations can be customised to client's requirements

S26361-K1066-V300	**Fujitsu FUTRO X913T - RH Elux without license** 2GB RAM, 8GB CF, Mouse
S26361-K1066-V300	**Fujitsu FUTRO X913T - RH Elux with license** 2GB RAM, 8GB CF, Mouse
S26361-K1066-V300	**Fujitsu FUTRO X913T - RH Elux + Scout built in** 2GB RAM, 8GB CF, Mouse
S26361-K1066-V300	**Fujitsu FUTRO X913T - Windows 7 Embedded** 2GB RAM, 8GB CF, Mouse

ACCESSORIES AND UPGRADES

Warranty	Z22 0	A30 0	S70 0	S90 0	X913/T
FSP:GB3S00Z00ZATC7 3-Year On-site Service	•				
FSP:GB3S00Z00ZATC4 3-Year On-site Service		•	•	•	
FSP:GB3S00Z00ZATC6 3-Year On-site Service					•

		Z220	A300	S700	S900	X913/T
Mounting Kits & Stand Options						
S26361-F1051-L10	VESA Mounting Kit FUTRO Z series	•				
S26361-F2542-L290	Horizontal foot kit			•	•	
S26361-F2601-L530	VESA Kit w/ subadapter			•	•	
BDL:VESA-SUB-KIT	Vesa Mounting Kit with Subadapter		•			
Display Options						
S26361-F2421-L300	Y-cable for dual monitoring		•			
S26361-F2421-L100	Y-cable for dual monitoring			•	•	
S26361-F2391-L3	DVI/VGA Adapter		•			
S26361-F2391-L1	DVI/VGA Adapter	•		•	•	•
PCI Options						
S26361-F3465-L1	PCI Parallel Card LP (1 port)				•	
S26361-F3465-L4	Dual Serial interface PCI card				•	
General Accessories						
S26381-K428-L100	Notebook Mouse 400NB Black Retail	•	•	•	•	•
S26381-K423-L100	Laser Mouse CL3500	•	•	•	•	•
S26381-K550-L402	Fujitsu KB400 USB Keyboard	•	•	•	•	•
S26381-K520-L102	Fujitsu KB520 USB Keyboard	•	•	•	•	•
S26381-K564-L402	Fujitsu Wireless Keyboard Set LX900 US	•	•	•	•	•
S26361-F1650-L200	MicroSaver Security Cable Lock	•	•	•	•	•

Factory Order Lead Times

*** Orders that require assembly: please allow 3-5 weeks lead time from date of order ***

*** Orders that do not require assembly: please allow 2-3 weeks lead time from date of order ***

Prices and specifications are subject to change without prior notice; pricing excludes VAT.

Stock availability statuses and dates are subject to change without prior notice.

E & OE

For repairs and technical assistance, please contact the Fujitsu Services Call Center: 0860-WE-HELP

Fujitsu Display L- and SL-Series Monitors

Best value, best price. L-Series and SL-Series monitors offer entry-level connectivity and operability with exceptional display quality and economical power-consumption at the lowest possible price

S26361-K1376-V160 **Fujitsu DISPLAY E19-6 LED 19" Display**
Low power consumption, Advanced contrast ratio (ACR): 5,000,000:1, < 1 watt/inch typical power usage, response time 5 ms, integrated speakers. Interface: D-Sub (VGA). **3-Year Collect-Repair-Return warranty**

S26361-K1368-V169 **Fujitsu DISPLAY L20T-2 LED 20" Wide Display**
Low power consumption, Advanced contrast ratio (ACR): 5,000,000:1, < 1 watt/inch typical power usage, response time 5 ms, 1600 x 900 HD resolution, integrated speakers. Interface: D-Sub (VGA). **3-Year Collect-Repair-Return warranty**

S26361-K1459-V160 **Fujitsu DISPLAY L22T-4 LED 21.5" Wide Display**
Low power consumption, Advanced contrast ratio (ACR): 5,000,000:1, < 1 watt/inch typical power usage, response time 5 ms, 1920 x 1080 HD resolution, integrated speakers. Interface: DVI & D-Sub (VGA). **3-Year Collect-Repair-Return warranty**

S26361-K1381-V160 **Fujitsu DISPLAY SL23T-LED 23" Wide**
High definition video support up to 1080P with HDCP content protection, Advanced contrast ratio (ACR): 10,000:1, 5 ms Response, Resolution 1650 x 1050, Brightness: 300 cd/m2, integrated speakers. Interfaces: 1x DVI, 1x D-Sub (VGA). **3-Year Collect-Repair-Return warranty**

Fujitsu DISPLAY Business Line and Professional Line Monitors

Best quality, best operability. B-Series Business-Line Monitors offer exceptional display quality & excellent durability coupled with rich operability features such as rotation to allow usage in portrait mode as well as standard landscape mode. P-Series Professional-Line Monitors offer IPS (In-plane Switching) Panels for best display, multiple connectivity routes, & best operability.

S26361-K1374-V140 **Fujitsu DISPLAY B19-6 LED**
DISPLAY B19-6 LED Business Line 48.3cm (19") Display VGA, DVI, 4-in-1 stand LED Backlight

S26361-K1453-V160 **Fujitsu DISPLAY B22W-7 LED proGREEN**
DISPLAY B22W-7 LED proGREEN Business Line 55.9cm(22")wide Display DVI,VGA 4-in-1 stand LED Backlight, matt black

S26361-K1375-V140 **Fujitsu DISPLAY B22W-6 LED**
DISPLAY B22W-6 LED Business Line 55.9cm(22")wide Display DVI,VGA 4-in-1 stand LED Backlight, matt black

S26361-K1388-V140 **Fujitsu DISPLAY B23T-6 LED**
DISPLAY B23T-6 Business Line 61cm (24")wide Display VGA, DVI, 3-in-1 stand

S26361-K1427-V140 **Fujitsu DISPLAY B24W-6 LED**
DISPLAY B24W-5 ECO Business Line 61cm(24")wide Display VGA, DVI, 3-in-1 stand

S26361-K1441-V141 **Fujitsu DISPLAY P23T-6 IPS**
DISPLAY P23T-6 IPS Premium Line 58,4cm(23")wide Display IPS Panel, LED DP,DVI,VGA,USB, 4-in-1 stand

S26361-K1428-V140 **Fujitsu DISPLAY P24W-6 LED**
DISPLAY P24W-6 LED Premium Line 61cm(24")wide Display IPS Panel DP,DVI,VGA,USB, 4-in-1 stand

S26361-K1442-V140 **Fujitsu DISPLAY P27T-7 IPS**
DISPLAY P27T-7 IPS Premium Line 69cm(27")wide Display IPS Panel DP,HDMI,DVI,VGA,USB, 4-in-1 stand

Fujitsu Accessories	
Connectivity	
S26391-F6055-L260	DVI to VGA Adapter
S26391-F6055-L250	HDMI to DVI-D Cable
S26391-F6099-L400	USB DISPLAY ADAPTER +
S26391-F6055-L510	USB2.0-LAN-ADAPTER
S26391-F6055-L416	LONGSHINE Gb Switch 16-Port
Mice, Presenters and Controllers	
S26381-K453-L100	Fujitsu Notebook Mouse M410 USB
S26381-K438-L100	Fujitsu LED Mouse GL9000
S26381-K429-L100	Fujitsu Notebook Laser Mouse WI600
S26381-K433-L100	Fujitsu Wireless Laser Mouse WL1400
LTC:M-RCQ142	Fujitsu Bluetooth Mouse V470
S26381-K440-L100	Fujitsu Presenter IV Air
S26381-K435-L200	Fujitsu PalmSecure Mouse Login Kit - mouse with integrated palm-vein scanner for best biometric security
Keyboards	
S26381-K510-L410	KB410 USB BLACK US ENGLISH 104 key
S26381-K520-L102	Fujitsu KB520 USB Keyboard
S26381-K540-L102	KB BT LX360 US
S26381-K564-L402	Fujitsu LX900 Wireless Keyboard & Mouse Set
Multimedia	
S26391-F7139-L3	Fujitsu HS S2000NC Headset
S26391-F7128-L500	Fujitsu Soundsystem DS P2100 Tube
S26391-F7128-L700	Mobile Bluetooth Communication Speaker
S26391-F7128-L600	USB Speaker DS E2000 Air
S26391-F7136-L5	Fujitsu WebCam 130 HD2

Factory Order Lead Times

*** Orders that require assembly: please allow 3-5 weeks lead time from date of order ***

*** Orders that do not require assembly: please allow 2-3 weeks lead time from date of order ***

Prices and specifications are subject to change without prior notice; pricing excludes VAT.

Stock availability statuses and dates are subject to change without prior notice.

E & OE

For repairs and technical assistance, please contact the Fujitsu Services Call Center: 0860-WE-HELP

Fujitsu CELVIN NAS Server Q700

NAS storage system with 2 HDDs - equipped with dedicated NAS HDDs for highest RAID stability and 24x7 usage 1x Ethernet 3x USB2.0 external Power supply with EU/UK/Swizz
Standard warranty:
2 year, Bring-in Service, 5 days / 9 hours (5x9, local business hours), FTS wide / Fujitsu or auth. Servicepartner

S26341-F103-L717 **Fujitsu CELVIN NAS Server Q700 2x2TB NAS HDD INT**

Fujitsu CELVIN NAS Server Q802

Zero Client DZ19-2
with 48.3cm (19") LED backlit display, 4-in-1 Stand, 1x RJ45 LAN, 4x USB 2.0, 1x DVI-I,
1x audio-in,1x audio out, Status LEDs and function keys, power cable.
Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right.
Supports virtual infrastructures with:
- VMware®: ESX, ESXi, vCenter, View
- Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V
- Microsoft®: Hyper-V with SCVMM

S26341-F103-L812 **Fujitsu CELVIN NAS Server Q802 4x2TB NAS HDD**

Fujitsu CELVIN NAS Server Q902

Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage - Centralized Storage and File sharing Backup Center for business users NAS, ISCSI / IP-SAN solution for server virtualization Multple security features Multiple NAS software applications Cloud storage for ease of deployment Energy-efficient and Eco friendly 5x GBit LAN, 2x e-Sata, 2x USB3.0, 5x USB2.0, Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup Processor: Intel Atom 2.13GHz,Memory: 1 GB DDRIII RAM, 512 MB Flash on DOM, FAN Intel 82574L NIC x2 Gigabit LAN, Formfactor: Tower Optional Top-Up Services EU, UK, Swizz powercord

Standard warranty:

2 year, Bring-in Service, 5 days / 9 hours (5x9, local business hours), FTS wide / Fujitsu or auth. Servicepartner

S26341-F103-L917 **Fujitsu CELVIN NAS Server Q902 6x2TB NAS HDD INT**

Fujitsu CELVIN NAS Server QR802

Centralized Storage and File sharing Backup Center for business users NAS, ISCSI / IP-SAN solution for server virtualization Multple security features Multiple NAS software applications Cloud storage for ease of deployment Energy-efficient and Eco friendly x GBit LAN, 2x e-Sata, 2x USB3.0, 5x USB2.0, Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup Processor: Intel® Atom™ 2.13GHz,Memory: 1 GB DDRIII RAM, 512 MB Flash on DOM, FAN Intel® 82574L NIC x2 Gigabit LAN, Formfactor: Rack 1U incl. Rails for mounting Optional Top-Up Services

Standard warranty:

2 year, On-Site Service, 5 days / 9 hours (5x9, local business hours), FTS wide / Fujitsu or auth. Servicepartner

S26341-F103-L892 **Fujitsu CELVIN NAS Server QR802 4x2 TB NAS HDD**

ACCESSORIES AND UPGRADES		Q700	Q802	Q902	QR802
Warranty					
FSP:GB3S00Z00ZASB2	SP 3y OS Svc,9x5	•	•	•	
FSP:GB3S00Z00ZASB3	SP 3y OS Svc,9x5				•

Factory Order Lead Times

*** Orders that require assembly: please allow 3-5 weeks lead time from date of order ***

*** Orders that do not require assembly: please allow 2-3 weeks lead time from date of order ***

Prices and specifications are subject to change without prior notice; pricing excludes VAT.

Stock availability statuses and dates are subject to change without prior notice.

E & OE

For repairs and technical assistance, please contact the Fujitsu Services Call Center: 0860-WE-HELP